

**PALM INTRANET****Inventor Information for 10/685008**

| Inventor Name     | City          | State/Country |
|-------------------|---------------|---------------|
| HEINZ, JOCHEN     | KIEL          | GERMANY       |
| ROLLE, ALEXANDER  | SCHILLSDORF   | GERMANY       |
| SCHILLING, DIETER | AUKRUG-INNIEN | GERMANY       |

[Appln Info](#) [Contents](#) [Petition Info](#) [Atty/Agent Info](#) [Continuity/Reexam](#) [Foreign Data](#) [Inventor](#)

Search Another: Application#

or Patent#

PCT / /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

|                         |          |                                                                                           |          |                              |                             |
|-------------------------|----------|-------------------------------------------------------------------------------------------|----------|------------------------------|-----------------------------|
| US<br>20060086066<br>A1 | 20060427 | System, device and method for the manufacture and handling of a substantially pure object | 53/428   | 53/122;<br>53/432;<br>53/510 | Heinz;<br>Jochen            |
| US<br>20040253383<br>A1 | 20041216 | Method for producing layers                                                               | 427/384  |                              | Belik,<br>Pavel et al.      |
| US<br>20040154269<br>A1 | 20040812 | System, device and method for the manufacture and handling of a substantially pure object | 53/432   | 53/122;<br>53/428;<br>53/510 | Heinz,<br>Jochen            |
| US<br>20040133169<br>A1 | 20040708 | Syringe cylinder                                                                          | 604/187  |                              | Heinz,<br>Jochen et al.     |
| US<br>20040116869<br>A1 | 20040617 | Membrane syringe                                                                          | 604/181  | 215/200;<br>604/263          | Heinz,<br>Jochen et al.     |
| US<br>20040116858<br>A1 | 20040617 | Tamper-evident closure for a syringe                                                      | 604/111  | 215/200;<br>604/263          | Heinz,<br>Jochen et al.     |
| US<br>20040101636<br>A1 | 20040527 | Method for producing a coated synthetic body                                              | 427/569  | 118/723MW;<br>427/255.28     | Kuhr,<br>Markus et al.      |
| US<br>20040047059<br>A1 | 20040311 | Object which has optical layers                                                           | 359/883  |                              | Moelle,<br>Christoph et al. |
| US<br>20030181877<br>A1 | 20030925 | Container for needleless injection of medically active substances                         | 604/272  |                              | Heinz,<br>Jochen et al.     |
| US<br>20020102364<br>A1 | 20020801 | Object which has optical layers                                                           | 427/569  | 427/162;<br>427/255.28       | Moelle,<br>Christoph et al. |
| US<br>20020081408<br>A1 | 20020627 | CONTAINER FOR FREEZE-DRYING AND STORING MEDICAL PRODUCTS                                  | 428/35.7 |                              | SPALLER,<br>MICHAEL et al.  |
| US<br>20020065490<br>A1 | 20020530 | Syringe for medical purposes                                                              | 604/205  |                              | Heinz,<br>Jochen et al.     |
| US                      | 20020131 | Metering receptacle                                                                       | 604/222  |                              | Heinz,                      |

|                         |          |                                                                                                                                                                     |          |                                                                                     |                                  |
|-------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------------------------------------------------------|----------------------------------|
| 20020013554<br>A1       |          |                                                                                                                                                                     |          |                                                                                     | Jochen et<br>al.                 |
| US<br>20020012741<br>A1 | 20020131 | Process and apparatus<br>for applying a<br>thermally attached<br>lubricating coating on<br>an interior wall of a<br>cylindrical container<br>for medicinal purposes | 427/2.1  | 118/317;<br>427/230;<br>427/236;<br>427/372.2;<br>427/421.1;<br>427/542;<br>427/557 | Heinz,<br>Jochen et<br>al.       |
| US<br>20010056265<br>A1 | 20011227 | Syringe for medical<br>use                                                                                                                                          | 604/227  |                                                                                     | Heinz,<br>Jochen et<br>al.       |
| US<br>20010052476<br>A1 | 20011220 | Transport device for<br>medicinal containers                                                                                                                        | 206/443  | 206/446;<br>206/486;<br>206/589                                                     | Heinz,<br>Jochen et<br>al.       |
| US<br>20010029354<br>A1 | 20011011 | Method for filing a<br>syringe                                                                                                                                      | 604/218  | 604/232                                                                             | Rolle,<br>Alexander<br>et al.    |
| US<br>20010004466<br>A1 | 20010621 | PHARMACEUTICAL<br>PACKING DEVICE<br>COMPRISING A<br>HOLLOW PLASTIC<br>BODY HAVING AN<br>IMPROVED<br>INTERNAL<br>LUBRICANT<br>LAYER AND<br>METHOD OF<br>MAKING SAME  | 427/2.1  |                                                                                     | HEINZ,<br>JOCHEN<br>et al.       |
| US 6960195<br>B2        | 20051101 | Metering receptacle                                                                                                                                                 | 604/222  | 604/187;<br>604/218;<br>92/242;<br>92/243                                           | Heinz;<br>Jochen et<br>al.       |
| US 6918676<br>B2        | 20050719 | Object which has<br>optical layers                                                                                                                                  | 359/883  | 359/884                                                                             | Moelle;<br>Christopher<br>et al. |
| US 6866158<br>B1        | 20050315 | Closeable glass<br>container comprising a<br>plastic coating applied<br>by injection molding<br>and method for the<br>production thereof                            | 215/12.1 | 215/902;<br>264/328.6                                                               | Sommer;<br>Martin et<br>al.      |
| US 6719141<br>B2        | 20040413 | Transport device for<br>medicinal containers                                                                                                                        | 206/563  | 206/443;<br>206/446                                                                 | Heinz;<br>Jochen et<br>al.       |
| US 6629763              | 20031007 | Object which has                                                                                                                                                    | 359/883  | 359/884                                                                             | Moelle;                          |

|               |          |                                                                                                                                                   |           |                                                                                                                           |                         |
|---------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------|-------------------------|
| B2            |          | optical layers                                                                                                                                    |           |                                                                                                                           | Christoph et al.        |
| US 6586039 B2 | 20030701 | Process and apparatus for applying a thermally attached lubricating coating on an interior wall of a cylindrical container for medicinal purposes | 427/2.28  | 427/2.1; 427/230; 427/236; 427/282; 427/287; 427/348; 427/355; 427/372.2; 427/427.4; 427/427.6; 427/508; 427/510; 427/515 | Heinz; Jochen et al.    |
| US 6485474 B1 | 20021126 | Closure arrangement for a disposable syringe                                                                                                      | 604/263   | 128/919; 604/198; 604/199                                                                                                 | Heinz; Jochen et al.    |
| US 6464105 B1 | 20021015 | Device for withdrawing a ready liquid medicament from a receptacle provided with a pierceable membrane                                            | 222/83    | 222/156; 222/459                                                                                                          | Rolle; Alexander et al. |
| US 6296893 B1 | 20011002 | Pharmaceutical packing device comprising a hollow plastic body having an improved internal lubricant layer and method of making same              | 427/2.28  | 427/230; 427/236; 427/256; 427/489; 427/515                                                                               | Heinz; Jochen et al.    |
| US 6216922 B1 | 20010417 | Glass bottle with a sprayed on synthetic coating, its production process and device necessary for its production                                  | 222/402.1 | 222/481.5                                                                                                                 | Bleile; Erwin et al.    |
| US 6207112 B1 | 20010327 | Piston burette for a burette apparatus                                                                                                            | 422/100   | 422/103; 422/104; 436/180; 436/54; 73/864.13; 73/864.16                                                                   | Spallek; Michael et al. |
| US 6117480 A  | 20000912 | Method and means for coating medical                                                                                                              | 427/2.3   | 118/404; 427/2.28;                                                                                                        | Spallek; Michael et     |

|                 |          |                                                                                                                      |           |                                                                  |                              |
|-----------------|----------|----------------------------------------------------------------------------------------------------------------------|-----------|------------------------------------------------------------------|------------------------------|
|                 |          | cannulas                                                                                                             |           | 427/355;<br>427/358;<br>427/371;<br>427/429;<br>427/430.1        | al.                          |
| US 5980495<br>A | 19991109 | Needle cap device for a pre-fillable one-time injection apparatus                                                    | 604/263   | 128/919;<br>604/198;<br>604/199                                  | Heinz;<br>Jochen et al.      |
| US 5979714<br>A | 19991109 | Glass bottle with a sprayed on synthetic coating, its production process and device necessary for its production     | 222/402.1 | 222/481.5                                                        | Bleile;<br>Erwin et al.      |
| US 5630858<br>A | 19970520 | Temperature resistant material, particularly as substitute for asbestos in devices for handling objects of hot glass | 65/102    | 65/24; 65/26;<br>65/357;<br>65/374.1;<br>65/374.13;<br>65/374.15 | Beier;<br>Wolfram et al.     |
| US 5242500<br>A | 19930907 | Apparatus for the continuous coating of band-type substrate                                                          | 118/718   | 118/726;<br>427/255.5                                            | Elvers;<br>Bjoern et al.     |
| US 5198032<br>A | 19930330 | Apparatus for vapor depositing on tape having grooved evaporator cell                                                | 118/718   | 118/726;<br>118/730;<br>373/118;<br>392/388;<br>392/389          | Kleyer;<br>Siegfried et al.  |
| US 5068915<br>A | 19911126 | Series evaporator for vacuum vapor-deposition apparatus                                                              | 392/389   | 118/726                                                          | Heinz;<br>Jochen et al.      |
| US 4962725<br>A | 19901016 | Apparatus for producing metal-free strips on vacuum-coated film webs, particularly to be used with capacitors        | 118/718   | 118/719;<br>118/72;<br>118/726                                   | Heinz;<br>Jochen et al.      |
| US 4847309<br>A | 19890711 | Method for making foundry sand containing a resin binder                                                             | 521/139   | 524/548;<br>524/556                                              | Klesse;<br>Wolfgang et al.   |
| US 4585809<br>A | 19860429 | Resin binders for foundry molding sands                                                                              | 523/139   | 523/142;<br>523/409;<br>524/529;<br>524/531;<br>524/535;         | Auer;<br>Heinz-Jochen et al. |

|                 |          |                                                                                                                           |         |                                                                                   |                                        |
|-----------------|----------|---------------------------------------------------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------|----------------------------------------|
|                 |          |                                                                                                                           |         | 524/808;<br>524/824;<br>524/831;<br>524/833                                       |                                        |
| US 4471923<br>A | 19840918 | Unmanned aircraft                                                                                                         | 244/63  | 244/3.1;<br>244/3.27;<br>244/49;<br>244/58;<br>89/1.816;<br>89/1.818              | Hoppner;<br>Heinz-<br>Jochen et<br>al. |
| US 4410151<br>A | 19831018 | Unmanned craft                                                                                                            | 244/63  | 244/120;<br>244/14;<br>244/3.27;<br>244/49;<br>89/1.801;<br>89/1.816;<br>89/1.819 | Hoppner;<br>Heinz-<br>Jochen et<br>al. |
| US 4078899<br>A | 19780314 | Reaction vessel heated<br>by helium                                                                                       | 422/211 | 165/142;<br>376/323;<br>376/391;<br>48/79                                         | Keller;<br>Heinz-<br>Jochen et<br>al.  |
| US 3946104<br>A | 19760323 | Method of producing<br>an homogeneous gas<br>mixture                                                                      | 423/659 | 423/359                                                                           | Forster;<br>Friedrich et<br>al.        |
| US 3895919<br>A | 19750722 | Device for the<br>production of a<br>homogenous gas<br>mixture                                                            | 422/207 | 422/194;<br>422/195                                                               | Forster;<br>Friedrich et<br>al.        |
| US 3212723<br>A | 19651019 | Vibratory grinding<br>mill [TEXT<br>AVAILABLE IN<br>USOCR<br>DATABASE]                                                    | 241/171 | 241/153;<br>241/175                                                               | HEINZ-<br>JOCHEN<br>MAEDER<br>et al.   |
| US 3212722<br>A | 19651019 | Vibratory grinding<br>mill of the drum type<br>[TEXT AVAILABLE<br>IN USOCR<br>DATABASE]                                   | 241/171 | 241/153;<br>241/175;<br>241/69                                                    | HEINZ-<br>JOCHEN<br>MAEDER<br>et al.   |
| US 3082965<br>A | 19630326 | Grinding mill of the<br>swinging type with a<br>plurality of grinder<br>drums [TEXT<br>AVAILABLE IN<br>USOCR<br>DATABASE] | 241/153 | 241/175;<br>366/210;<br>366/225                                                   | HEINZ-<br>JOCHEN<br>MAEDER<br>et al.   |
| US 2883051      | 19590421 | Shaking sieve device                                                                                                      | 209/269 | 209/399                                                                           | HEINZ-                                 |

|   |  |                                                                                            |  |  |                  |
|---|--|--------------------------------------------------------------------------------------------|--|--|------------------|
| A |  | with transverse girders<br>for the sieve plate<br>[TEXT AVAILABLE<br>IN USOCR<br>DATABASE] |  |  | JOCHEM<br>MAEDER |
|---|--|--------------------------------------------------------------------------------------------|--|--|------------------|